
COMPARISON OF SULFURYL FLUORIDE LABELS AND APPLICATOR MANUALS



Dow AgroSciences, LLC EPA Reg. No. 62719-4 Updated 3/3/2010



Ensystex II, Inc. EPA Reg. No. 81824-1 Updated 5/20/2009



Drexel Chemical Company EPA Reg. No. 19713-596 Updated 12/9/2009

BRANDI MARTIN
DPR-PESTICIDE REGISTRATION BRANCH
2010

BRANCH 1 REPORT PERTINENT AREAS

STATE OF CALIFORNIA DEPARTMENT OF PESTICIDE REGULATION STRUCTURAL FUMIGATION USE MONITORING INSPECTION REPOR	RT.	□ F	COMPLE PARTIAL FOLLOV	L	SPECTION			107	7-				
PR-ENF-107 (REV. 01/10) Page 1 of 1	NAL INS	LINSP.# INSPECTING COUNTY											
FIRM INSPECTED				BUS	BUSINESS REGISTRATION NUMBER BR				VEHICLE LICENSE PLATE				
FIRM ADDRESS				TEL	TELEPHONE NUMBER					/IND VELOCITY			
					INDIVIDUAL LICENSE NUMBER ☐ OPR ☐ FR DIRECTION					ONto			
PERSON INSPECTED								UNL	YES	TANCE MAI		IED N/A	
APPLICATION SITE ADDRESS									PEST	NT OITE			
HANDLER'S NAME ACTIVITY					TREATME PERSONAL PROTECTIVE EQUIPMENT WOR								
			PERSONAL TROTESTIVE EQUIT MENT WO							<u> </u>			
PESTICIDE NAME / MANUFACTURER			LA	LABEL REGISTRATION NUMBER SIGNAL WORD FOR			D FORM	MULATION RATE					
							-		-				
STRUCTURAL FUMIGATION APPLICATI	ON			AERAT	ION		CERT	TIFICATION					
REQUIREMENTS	Section		NO N		REQUIRE	MENTS	, (Con	itinued)		Section		PLIANCE NO N/A	
Registered in County	15204.5(a)			26.	Test Equip	nent				1971(a)(2)			
2. County Notified 24 Hours Prior 3. Written Notice to Occupant	15204.5(d) 8538				Re-entry Re		ents			1973 8505.2			
4. Pesticide Disclosure Signed / Available	1970.4				29. Warning Signs on All Sides of Structure					1974		-	
5. Registered Label Available at Use Site	6602				30. Required Information on Warning Signs					8505.10			
6. Labeling - Site / Rate / Concentration / Other				31.	31. Signs - Attic / Under-area					8505.11			
7. Labeling - Aeration / Certification	12973			32.	32. Warning Agent Used					8505.12 6630			
8. Labeling - Bagging, Pets Removed, Etc. 9. Labeling - PPE	12973				33. Equipment Properly Identified 34. Containers Labeled / Closures					6676		_	
10. Regulations - PPE	6738				35. Proper Pesticide Transport					6682			
11. Respiratory Protection	6739				36. Pesticide Handling / Use / Storage					1983			
12. Handler(s) Trained	6724				37. Methyl Bromide Requirements 38. MB - Tarps Accept. / Condition / Ret. Me				N 4 - 41I	6454(a)		=	
13. Emergency Medical Care, Posting	6726 6734							ans / Aeratio		6454(b-é) 6454(f-m)			
14. Decont. Facility, Site "Warning/Danger" 15. SCBA Worn / Cont. Monitoring / TRAP Used	6780(b)			40.	MB - Measi	uring Cor	centr	ation		6454(n)			
16. Accident Response Plan at Work Site	6780(d)									()			
17. 2 Trained Employees - Application & Aeration 18. Fume of Enclosed Spaces/Proper Entry	6782(a) 6782(d)												
19. Proper Management of Treated Area	6782(d)			то	TAL					TOTAL			
20. Connecting Structures	1970.6			_		TION CF	IECK	(No Crew C	n Site\	Section		PLIANCE	
20. Connecting Structures 21. Accurate Measurement	6604							(i.io Ciew c	J. Gite)		YES	NO N/A	
22. Protection of Persons / Animals / Property	6614				Registered			Duina		15204.5(a)		-	
23. Structure Vacated / Secured Against Reentry 24. Equipment in Good Repair and Safe	8505.7 6742	\vdash	\vdash		County Not Labeling - A					15204.5(d) 12973	\vdash	-	
25. 2 SCBA / CPR Chart / Mfg. Instructions	1971(a)			4	Warning Si	ans on A	II Side	28		1974			
COMPLIANCE ACTIONS	(1)			5.	Structure V	acated /	Secur	es red Against I	Reentry	8505.7			
Cease and Desist Order 11897 / 13102 YES	NO							Narning Sigr		8505.10			
Follow-up Required Correct Noncompliances By:	NO			ТОТ	ΓΔΙ					TOTAL			
Remarks - Include a detailed description of noncompliances. When additional space is required, continue on Inspection Report / VN Supplement, P.													

COMPARISON OF LABELS

ACTIVEINGREDIENTPERCENTAGE



Drexel

MASTER FUME

Specially Gas Fumigant



99.8%

99.8%

99.3%

- DIRECTIONS FOR USE
 - -First Aid Statement:

"If Inhaled:">>

- -Get exposed person to fresh air.
- -Keep warm and at rest.
- -Make sure person can breathe freely.
- -If breathing has stopped, give artificial respiration.
- -Do NOT put anything in the mouth of an unconscious person.
- -Call a poison control center or doctor for further treatment advice.

- -Move person to fresh air.
- -If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.
- -Call a poison control center or doctor for further treatment advice.

COMPARISON OF LABELS

- STRUCTURAL FUMIGATION MANUAL
 - -Now referenced on all 3 labels as part of labeling
 - -All manuals have been stamped and registered in CA
 - **-ONLY** Drexel Master Fume label states:
 - "The Manual for Structural Fumigation Must be in the Possession of the Applicator During Use of This Product."
 - -Vikane and Zythor state the above in their manuals
- TRAINING & STEWARDSHIP PROGRAM
 - -Now stated on all 3 labels as a requirement for application personnel to participate in prior to fumigation.

CHECK CYLINDER LABEL!!!

COMPARISON OF LABELS

•FACT SHEET (Required)

•DOSAGE & EXPOSURE TIME (Sulfuryl Fluoride)







•Prior to the parties entering into a fumigation agreement, the Fact Sheet for Vikane/this product must be provided to an adult occupant of the structure to be fumigated.


•Prior to the application of Zythor to a structure, the Zythor Fact Sheet must be provided to an adult occupant of the structure to be fumigated.

Fumiguide Calculator

Drexel Chemical's Master Rate Calculator Fumicalc Computer Program

WARNING AGENT

-CHLOROPICRIN CALCULATIONS & ALTERNATIVE





Fumiguide

calculator

OR

1 fl.

 $oz./10,000ft^3$ -

15,000ft³



Master Fume Calculator System OR 1fl. oz./10,000ft³-15,000ft³



Fumicalc computer program OR 1fl. oz./10,000ft³-15,000ft³



BPC 8505.12

BREATHING ZONE

"Structure may be reoccupied when concentrations in the breathing zones in all units is 1ppm or less."

-Now all 3 labels have a definition:

"Areas within the structure or units/rooms where individuals typically stand, sit or lie down."



SPCB 1973, CCR 6780(b), 6782(d,f)

PREPARATION FOR FUMIGATION

•All 3 labels advise "Remove from the structure to be fumigated all persons, domestic animals, pets and desirable growing plants"

•NOW, all 3 labels mention how to handle FISH TANKS, but Vikane's label refers to their manual to view this information.



FISH TANKS

Remove fish tanks containing live fish, or remove the fish, or develop a plan for preparing the tank for fumigation. If necessary, exclude water in the tank and biological filters, if present, from the fumigated space by sealing with gas resistant tarps or sheeting. If water aeration is required during fumigation, provide fresh air from outside the fumigated space for the tank aerator.



TYPES OF FUMIGANT BAGS USED





MASTER FUME®

Specialty Gas Fumigant

Master Fume bags Nylofume bags Fumiguard bags



Nylofume bags Fumiguard bags *Need to update manual!!









USE PRECAUTIONS



As of 5/20/2009, the Zythor label states the same information as the Vikane and Drexel Master Fume labels:

"...Two persons, however need not be present if monitoring is conducted remotely (outside the area being fumigated) and no one enters the fumigated space/structure."

PERSONAL PROTECTIVE EQUIPMENT (PPE)

- Vikane and Drexel Master Fume updated their labels to be in sync after the Zythor label revision on 5/20/09.
- Splash-resistant goggles OR full face shield

DO NOT WEAR RUBBER
GLOVES OR RUBBER BOOTS!!





CONNECTED STRUCTURES

•All 3 labels now define it as: "Any structure connected with the structures to be fumigated by construction elements (e.g., pipes, conduits, ducts, etc.) which may allow passage of fumigant between the structures."



Chloropicrin ONLY applied where Sulfuryl Fluoride is introduced.

MULTI-UNIT STRUCTURES

- Viand, Drexel Master Fume and Zythor labels have the same verbiage now BUT: How will the California Aeration Plan (CAP) effect the use of Sulfuryl Fluoride on Multi-Unit Structures?
- -SF Reevaluation: Need data on multiple-story multiple dwelling units to determine if the CAP will reduce SF levels to below 1ppm in larger structures



Without this data, DPR may need to limit use of the CAP to one-story single family residences

CCR 6780(b)

FUMIGATION OF CONSTRUCTION MATERIALS, FURNISHINGS, VEHICLES AND SHIPPING CONTAINERS



 Specific instructions on ONLY Zythor label, but detailed information is on Vikane and Drexel Master Fume applicator manuals

FAC 12973

PASSENGER RAILCARS



■ All 3 labels state that, "Chloropicrin need not be used when fumigating passenger railcars; however, a thorough walk-through inspection must be performed of each railcar with doors being immediately locked upon leaving each car, and a guard must be posted during fumigant introduction, exposure period, and aeration."



ONLY label that has specific instructions for Securing and Aeration of Passenger Railcars.



MASTER FUME®


Specialty Gas Fumigant

Drexel Master Fume applicator manual does have a section that includes "Railroad Cars"-considers them Small Structures (refer to CH.5)



Zythor applicator manual only mentions "rail cars" as a site where you can use Zythor and nothing more.

POSTING & PLACARDING




1. The signal word DANGER/PELIGRO and the SKULL and CROSSBONES symbol.

- 2. The statement, "Area under fumigation, DO NOT ENTER/NO ENTRE."
- 3. The date of fumigation
- 4. Name of fumigant used.
- 5. Name, address, and telephone number of the applicator.



ZYTHOR

- 1. Has to be in RED!!
- 2.-3. Same as above
- 4. Add EPA Reg. No.
- 5. Add contact information of the fumigation company




Need to Update Manual!!!

DEVICES USED TO MONITOR A FUMIGATION



Fumiguide Calculator: used for both non-monitored & monitored Fumiguide Y: another calculator specific for monitored fumigations Fumiscope: only for monitored fumigations

Master Fume Calculator: used for both non-monitored & monitored Fumiscope: only for monitored fumigations



Fumiscope: only for monitored fumigations>>then data is entered into the Fumicalc program



Fumiscope is NOT sensitive enough to use as a clearing device AFTER the exposure period.

DETECTION DEVICES FOR SULFURYL FLOURIDE

(To Clear A Structure)

Vikane, Zythor and Drexel Master Fume labels all refer to these devices:



Zythor and Vikane labels reference the fact that the INTERSCAN must be calibrated within one month prior to its use as a Low Fumigant Level Detection Device. Drexel Master Fume NOW has this information as well and other specific details in its label and applicator manual.

FAC 12973, SPCB 1971(a)(2)

AERATION PROCEDURES

- NOW Drexel Master Fume's label matches Vikane's and Zythor's: "If the structure has a central air handling system, the fan (or blower) should be activated for each unit if operational."
- Only Vikane and Drexel Master Fume have:

"Note: During the initial one hour aeration procedure, approved respiratory protection must be worn until the concentration of this product is confirmed not to exceed 1ppm with an approved detection device."



ANY QUESTIONS???

NOTE

ZYTHOR's last 35 pages of their manual is a sub-manual on the Fumicalc computer program.

Brandi Martin
Department of Pesticide Regulation
Pesticide Registration Branch
1001 I. St., P.O. Box 4015
Sacramento, CA 95812
Environmental Scientist
bmmartin@cdpr.ca.gov
916-445-7230

